

# UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

DATE MAILED: 11/18/2003

APPLICATION NO. FILING DATE FIRST NAMED INVENTOR ATTORNEY DOCKET NO. CONFIRMATION NO. 10/048,199 09/10/2002 01-9198 Young Chul Bang 4788 7590 11/18/2003 **EXAMINER** Daniel M Cislo THOMPSON, MICHAEL M Cislo & Thomas ART UNIT PAPER NUMBER Suite 900 233 Wilshire Boulevard 3763 Santa Monica, CA 90401-1211

Please find below and/or attached an Office communication concerning this application or proceeding.

<u>₩</u> 7				
	Application No.	Applicant(s)	: 1	
	10/048,199	BANG, YOUNG CH	BANG, YOUNG CHUL	
Office Action Summary	Examiner	Art Unit		
	Michael M. Thompso			
The MAILING DATE of this commun Period for Reply	ication appears on the cover she	et with the correspondence addre	ess	
A SHORTENED STATUTORY PERIOD F THE MAILING DATE OF THIS COMMUN  - Extensions of time may be available under the provisions after SIX (6) MONTHS from the mailing date of this comm  - If the period for reply specified above is less than thirty (3)  - If NO period for reply is specified above, the maximum some seriod for reply within the set or extended period for reply  - Any reply received by the Office later than three months earned patent term adjustment. See 37 CFR 1.704(b).  Status	ICATION. s of 37 CFR 1.136(a). In no event, however, to nunication. stop days, a reply within the statutory minimum tatutory period will apply and will expire SIX (6 y will, by statute, cause the application to become the statutory period will apply and will expire SIX (6 y will, by statute, cause the application to become the statute.	may a reply be timely filed n of thirty (30) days will be considered timely. 6) MONTHS from the mailing date of this commone ABANDONED (35 U.S.C. § 133).	nunication.	
1) Responsive to communication(s) file	ed on	•		
	2b)⊠ This action is non-final.			
3) Since this application is in condition closed in accordance with the pract			nerits is	
Disposition of Claims				
4)⊠ Claim(s) <u>10-24</u> is/are pending in the	e application.			
4a) Of the above claim(s) is/a	are withdrawn from consideratio	n.		
5) Claim(s) is/are allowed.				
6)⊠ Claim(s) <u>13-24</u> is/are rejected.			•	
7) Claim(s) <u>10-12</u> is/are objected to.				
8) Claim(s) are subject to restri	ction and/or election requiremer	nt.		
Application Papers		•		
9)⊠ The specification is objected to by the	ne Examiner.			
10) $oxtimes$ The drawing(s) filed on 27 July 2000	∑is/are: a) accepted or b) ⊠	objected to by the Examiner.		
Applicant may not request that any obje	ection to the drawing(s) be held in a	beyance. See 37 CFR 1.85(a).		
Replacement drawing sheet(s) includin				
11)☐ The oath or declaration is objected t	o by the Examiner. Note the att	ached Office Action or form PTO	-152.	
Priority under 35 U.S.C. §§ 119 and 120				
<ul><li>2. ☐ Certified copies of the priority</li><li>3. ☒ Copies of the certified copies</li></ul>	documents have been received documents have been received of the priority documents have been for all Bureau (PCT Rule 17.2(a)) on for a list of the certified copie for domestic priority under 35 Uped in the first sentence of the spanguage provisional application I for domestic priority under 35 Upper sentence of the spanguage provisional application I for domestic priority under 35 Upper sentence of the spanguage provisional application I	d. d in Application No been received in this National St . s not receivedS.C. § 119(e) (to a provisional a ecification or in an Application Da has been receivedS.C. §§ 120 and/or 121 since a	ipplication) ata Sheet specific	
Attachment(s)	·			
Notice of References Cited (PTO-892)     Notice of Draftsperson's Patent Drawing Review (     Notice of Draftsperson's Patent Drawing Review (     Notice of Draftsperson's Patent (S) (PTO-1449)	PTO-948) 5) Noti	rview Summary (PTO-413) Paper No(s). ice of Informal Patent Application (PTO-1 er:		
S. Patent and Trademark Office				

Application/Control Number: 10/048,199

Art Unit: 3763

#### **DETAILED ACTION**

## Information Disclosure Statement

1. The listing of references in the specification is not a proper information disclosure statement. 37 CFR 1.98(b) requires a list of all patents, publications, or other information submitted for consideration by the Office, and MPEP § 609 A(1) states, "the list may not be incorporated into the specification but must be submitted in a separate paper." Therefore, unless the references have been cited by the examiner on form PTO-892 or PTO-1449, they have not been considered.

### **Drawings**

- 2. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(4) because reference character "16" has been used to designate both insert hole and restraining prominence as show in the description of embodiment 2. It should be noted that there are several discrepancies between the specification and drawings. A proposed drawing correction or corrected drawings are required in reply to the Office action to avoid abandonment of the application. The objection to the drawings will not be held in abeyance.
- 3. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they include the following reference sign(s) not mentioned in the description: 14 and 45 for embodiment 1. A proposed drawing correction, corrected drawings, or amendment to the specification to add the reference sign(s) in the description, are required in reply to the Office action to avoid abandonment of the application. The objection to the drawings will not be held in abeyance.

Application/Control Number: 10/048,199

Art Unit: 3763

4. The drawings are objected to because there are several reference numbers missing from the specification and from the drawings though contained in the specification. It is requested that Applicant review the application for errors. A proposed drawing correction or corrected drawings are required in reply to the Office action to avoid abandonment of the application. The objection to the drawings will not be held in abeyance.

## Specification

The following guidelines illustrate the preferred layout for the specification of a utility application. These guidelines are suggested for the applicant's use.

#### Arrangement of the Specification

As provided in 37 CFR 1.77(b), the specification of a utility application should include the following sections in order. Each of the lettered items should appear in upper case, without underlining or bold type, as a section heading. If no text follows the section heading, the phrase "Not Applicable" should follow the section heading:

- (a) TITLE OF THE INVENTION.
- (b) CROSS-REFERENCE TO RELATED APPLICATIONS.
- (c) STATEMENT REGARDING FEDERALLY SPONSORED RESEARCH OR DEVELOPMENT.
- (d) INCORPORATION-BY-REFERENCE OF MATERIAL SUBMITTED ON A COMPACT DISC (See 37 CFR 1.52(e)(5) and MPEP 608.05. Computer program listings (37 CFR 1.96(c)), "Sequence Listings" (37 CFR 1.821(c)), and tables having more than 50 pages of text are permitted to be submitted on compact discs.) or

REFERENCE TO A "MICROFICHE APPENDIX" (See MPEP § 608.05(a). "Missafaha Amandiass" susan asantad bu the Office until March 1, 2001.)

- "Microfiche Appendices" were accepted by the Office until March 1, 2001.)
- (e) BACKGROUND OF THE INVENTION.
  - (1) Field of the Invention.
  - (2) Description of Related Art including information disclosed under 37 CFR 1.97 and 1.98.
- (f) BRIEF SUMMARY OF THE INVENTION.
- (g) BRIEF DESCRIPTION OF THE SEVERAL VIEWS OF THE DRAWING(S).
- (h) DETAILED DESCRIPTION OF THE INVENTION.
- (i) CLAIM OR CLAIMS (commencing on a separate sheet).
- (i) ABSTRACT OF THE DISCLOSURE (commencing on a separate sheet).

Page 4

Application/Control Number: 10/048,199

Art Unit: 3763

(k) SEQUENCE LISTING (See MPEP § 2424 and 37 CFR 1.821-1.825. A "Sequence Listing" is required on paper if the application discloses a nucleotide or amino acid sequence as defined in 37 CFR 1.821(a) and if the required "Sequence Listing" is not submitted as an electronic document on compact disc).

- 5. The spacing of the lines of the specification is such as to make reading and entry of amendments difficult. New application papers with lines double spaced on good quality paper are required.
- 6. The specification has not been checked to the extent necessary to determine the presence of all possible minor errors. Applicant's cooperation is requested in correcting any errors of which applicant may become aware in the specification.

## Claim Objections

- 7. Claims 10-12 are objected to because of the following informalities: they depend from previously cancelled claims. Appropriate correction is required.
- 8. The numbering of claims is not in accordance with 37 CFR 1.126 which requires the original numbering of the claims to be preserved throughout the prosecution. When claims are canceled, the remaining claims must not be renumbered. When new claims are presented, they must be numbered consecutively beginning with the number next following the highest numbered claims previously presented (whether entered or not).

Misnumbered claims 10-21 have been renumbered 13-24.

### Claim Rejections - 35 USC § 102

9. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Art Unit: 3763

10. Claims 13-24 are rejected under 35 U.S.C. 102(b) as being anticipated by Berger et al. (EP 0,704,255). Berger teaches a safety syringe comprising a cylinder, syringe needle, needle holder wherein the needle holder is fixed or fixable in the cylinder by a groove-projection-arrangement in a "L" shape, plunger wherein the plunger can be coupled to the needle holder by a piston. See figures.

#### **Contacts**

Any inquiry concerning this communication or earlier communications from the Examiner should be directed to Michael Thompson whose telephone number is (703) 305-1619. The Examiner can normally be reached on Monday through Friday from 9 am to 5 PM.

If attempts to reach the Examiner by telephone are unsuccessful, the Examiner's Primary, Brian Casler, can be reached on (703) 308-3552. The official fax phone number for all submissions to the organization where this application or proceeding is assigned is (703) 872-9306.

Michael M. Thompson

Patent Examiner

SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 3700

MT

November 10, 2003